

U. S. PLANT PATENT APPLICATION OF

NILS KLEMM

FOR: CALIBRACHOA PLANT NAMED

‘KLEC02064’

KLEMM, Nils

TITLE: CALIBRACHOA PLANT NAMED 'KLEC02064'

APPLICANT: NILS KLEMM

BOTANICAL CLASSIFICATION/CULTIVAR DESIGNATION:

Calibrachoa sp. cultivar KLEC02064

5

BACKGROUND OF THE INVENTION

The present Invention relates to a new and distinct cultivar of Calibrachoa plant, botanically known as *Calibrachoa sp.*, and hereinafter referred to by the name 'KLEC02064'.

10

The new Calibrachoa is a product of a planned breeding program conducted by the Inventor in Stuttgart, Germany. The objective of the program is to create new early-flowering Calibrachoa cultivars with compact and cascading growth habit, freely branching habit and attractive flower colors.

15

The new Calibrachoa originated from a cross-pollination made by the Inventor during the summer of 1999 of a proprietary selection of Calibrachoa identified as code number S133, not patented, as the female, or seed, parent with an unidentified selection of Calibrachoa, not patented, as the male, or pollen, parent. The new Calibrachoa was selected by the Inventor in May, 2000 in a controlled environment in

KLEMM, Nils

Stuttgart, Germany from within the resulting progeny from the cross-pollination.

Asexual reproduction of the new cultivar by terminal cuttings taken in a controlled environment in Stuttgart, Germany since May, 5 2000, has shown that the unique features of this new *Calibrachoa* are stable and reproduced true to type in successive generations.

SUMMARY OF THE INVENTION

Plants of the cultivar KLEC02064 have not been observed under all possible environmental conditions. The phenotype may vary 10 somewhat with variations in environment such as temperature, light intensity and daylength without, however, any variance in genotype.

The following traits have been repeatedly observed and are determined to be the unique characteristics of 'KLEC02064'. These characteristics in combination distinguish 'KLEC02064' as a new and 15 distinct cultivar of *Calibrachoa*:

1. Cascading plant habit.
2. Freely branching habit.
3. Early flowering habit.
4. White and red purple bi-colored flowers.

5. Good weather tolerance; tolerant to rain and wind and high and low temperatures.

Plants of the new Calibrachoa are most similar to plants of the female parent selection. However, plants of the new Calibrachoa have a more trailing plant habit than plants of the female parent selection. In addition, plants of the new Calibrachoa have white and red purple bi-colored flowers whereas plants of the female parent selection have dark pink-colored flowers.

BRIEF DESCRIPTION OF THE PHOTOGRAPH

The accompanying colored photograph illustrates the overall appearance of the new cultivar, showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photograph may differ slightly from the color values cited in the detailed botanical description which accurately describe the colors of the new Calibrachoa. The photograph comprises a side perspective view of typical plants of 'KLEC02064' grown in a hanging basket container.

DETAILED BOTANICAL DESCRIPTION

Plants used in the aforementioned photograph and following description were grown under conditions that closely approximate

KLEMM, Nils

commercial production conditions during the spring in Stuttgart, Germany in a glass-covered greenhouse. Plants were about five months old from planting rooted cuttings. During the production of the plants, day and night temperatures ranged from 16 to 18°C and light levels were about 20,000 lux. Plants grown in 12-cm containers were used for the description. In the description, color references are made to the Royal Horticultural Society Colour Chart, 1995 Edition, except where general terms of ordinary dictionary significance are used.

BOTANICAL CLASSIFICATION:

10 *Calibrachoa sp.* cultivar KLEC02064.

PARENTAGE:

Female, or seed, parent: Proprietary selection of *Calibrachoa sp.* identified as S133, not patented.

Male, or pollen, parent: Unidentified selection of *Calibrachoa sp.*, not patented.

PROPAGATION:

Type cutting: Terminal vegetative cuttings.

Time to produce a rooted young plant:

Summer: About 21 days at 20 to 26°C.

20 Winter: About 28 days at 20°C.

KLEMM, Nils

Root description: Fine, fibrous and white in color.

Rooting habit: Freely branching.

PLANT DESCRIPTION:

5 Form: Annual flowering plant; initially upright to semi-upright
then cascading; uniform flattened mounded appearance.

Usage: Appropriate for hanging baskets, window boxes and patio
containers.

Plant height (from soil level to top of plant plane): About 10 cm.

Plant diameter (area of spread): About 25 cm.

10 Growth rate: Slow.

Branching habit: Freely branching, about five lateral branches
per plant; pinching is typically not required.

Lateral branch description:

Length: About 12 cm.

15 Diameter: About 3 mm.

Internode length: About 0.5 to 2 cm.

Texture: Smooth, glabrous.

Color: 145A.

20 Foliage description: Leaves simple, generally symmetrical and
long persisting; sessile.

KLEMM, Nils

Arrangement: Alternate.

Length: About 1 to 3 cm.

Width: About 0.5 to 1 cm.

Shape: Lanceolate to elliptic.

5 Apex: Acute.

Base: Attenuate.

Margin: Entire.

Texture, upper and lower surfaces: Smooth, glabrous.

Venation pattern: Pinnate.

10 Color:

Immature and fully expanded foliage, upper surface:
138A.

Immature and fully expanded foliage, lower surface:
138B.

15 Venation, upper and lower surfaces: 144B.

FLOWER DESCRIPTION:

Flower type and habit: Flowers face somewhat upright or outward; single, axillary; salverform. Flowers not persistent.

Freely flowering habit, about ten open flowers and about 55 to 60

20 flower buds per lateral stem. Flowers not fragrant.

KLEMM, Nils

Natural flowering season: Spring until frost in the autumn;
flowering continuous during this time.

Time to flower: Early flowering; plants begin flowering about 12
weeks after planting.

5 Flower longevity on the plant: About seven days.

Flower size:

Diameter: About 3 cm.

Tube length: About 1.5 cm.

Throat diameter, distal end: About 8 mm.

10 Tube diameter, proximal end: About 2 mm.

Flower buds:

Length: About 1.3 cm.

Diameter: About 4 mm.

Shape: Irregular, oblong.

15 Color: 150B.

Corolla:

Arrangement/appearance: Single whorl of five petals,
fused into flared trumpet.

Petal length from throat: About 1.3 cm.

20 Petal width: About 1.7 cm.

KLEMM, Nils

Petal shape: Roughly spatulate; slightly recurved.

Apex: Crenate.

Petal margin: Entire.

Petal texture, upper and lower surfaces: Smooth, glabrous.

5 Color:

Petal, when opening, upper surface: 155A; towards the throat, 61A.

Petal, when opening, lower surface: 155A; towards the throat, 59A.

10 Petal, fully opened, upper surface: 155D; towards the throat, 61A; venation, 61A.

Petal, fully opened, lower surface: 155D; towards the throat, 59A; venation, 59A.

Flower throat (inside): 61A; venation, 61A.

15 Flower tube (outside): 12A; venation, 59A.

Sepals:

Arrangement/appearance: Single whorl of five sepals; calyx, star-shaped.

Length: About 1.8 cm.

20 Width: About 6 mm.

KLEMM, Nils

- Shape: Lanceolate to elliptic.
- Apex: Acute.
- Margin: Entire.
- Texture, upper and lower surfaces: Smooth, glabrous,
5 glossy.
- Color, upper surface: 136B.
- Color, lower surface: 136C.
- Peduncles:
- Length: About 1.8 cm.
- 10 Width: About 2 mm.
- Strength: Moderately strong.
- Angle: Erect to about 75° from vertical.
- Texture: Glabrous, smooth.
- Color: 144A.
- 15 Reproductive organs:
- Stamens:
- Quantity: Six per flower.
- Anther shape: Elliptic.
- Anther length: About 1 to 2 mm.
- 20 Anther color: 11B.

KLEMM, Nils

Pollen amount: Scarce.

Pollen color: 11B.

Pistils:

Quantity: One per flower.

5 Pistil length: About 7 mm.

Stigma shape: Oval.

Stigma color: 149A.

Style length: About 5 mm.

Style color: 150A.

10 Ovary color: 154A.

Seed/fruit: Seed and fruit production has not been observed.

DISEASE/PEST RESISTANCE:

Plants of the new Calibrachoa have been noted to be resistant to
Powdery Mildew. Plants of the new Calibrachoa have not been
15 noted to be resistant to other pathogens and pests common to
Calibrachos.

WEATHER/TEMPERATURE TOLERANCE:

Plants of the new Calibrachoa are tolerant to rain and wind and
have been observed to tolerate temperatures from 1 to 50°C.